ELSEVIER

Journal of Reproductive Immunology
49 (2001) 175–176

JOURNAL OF REPRODUCTIVE IMMUNOLOGY

www.elsevier.com/locate/jreprimm

Contents (Volume 49)

No. 1

BASIC IMMUNOLOGY

Reversible immunoneutralization of human follitropin receptor
B. Lindau-Shepard, H.A. Brumberg, A.J. Peterson, J.A. Dias (Albany, NY) . 1

The placental regulatory factor involved in the asymmetric IgG antibody synthesis responds to IL-6 features
G. Gutiérrez, I. Malan Borel, R.A. Margni (Buenos Aires, Argentina) 21

ANIMAL SCIENCES

A study on the density and distribution of uterine natural killer cells at mid pregnancy in mice genetically-ablated for CCR2, CCR 5 and the CCR5 receptor ligand, MIP-1α
S. Chantakru, W.A. Kuziel, N. Maeda, B.A. Croy (Guelph, Canada; Austin, TX; Chapel Hill, NC) 33

Role of polymorphonuclear leukocytes in resolution of HSV-2 infection of the mouse vagina
G.N. Milligan, N. Bourne, K.L. Dudley (Cincinnati, OH) 49

SHORT COMMUNICATION

The metrial gland is more than a mesometrial lymphoid aggregate of pregnancy — a response
I.J. Stewart (Southampton, UK) 67

CLINICAL STUDIES

Low peripheral blood levels of the immunosuppressive cytokine interleukin 10 (IL-10) at the start of gonadotrophin stimulation indicates increased risk for development of ovarian hyperstimulation syndrome (OHSS)
A. Enskog, L. Nilsson, M. Brännström (Göteborg, Sweden) 71

Abstracts 87

Erratum to "Murine fetal resorption and experimental pre-eclampsia are induced by both excessive Th1 and Th2 activation [Journal of Reproductive Immunology 47 (2000) 121–138]
S. Hayakawa (Tokyo, Japan) 95

No. 2

BASIC IMMUNOLOGY

Chemokine receptor expression by human syncytiotrophoblast
G.C. Douglas, T.L. Thirkill, V. Sideris, M. Rabieh, D. Trollinger, R. Nuccitelli (Davis, CA) 97

Expression of the chemokines, monocyte chemotactic protein (MCP)-1 and MCP-2 in endometrium of normal women and Norplant® users, does not support a central role in macrophage infiltration into endometrium
A.L. Hampton, P.A.W. Rogers, B. Affandi, L.A. Salamonsen (Victoria, Australia; Jakarta, Indonesia) 115

ANIMAL SCIENCES

The testicular germ-cell protease PC4 is also expressed in macrophage-like cells of the ovary
H. Tadros, M. Chrétien, M. Mbikay (Ottawa, Canada) 133

CLINICAL STUDIES

The expression and concentrations of Fas/APO-1 (CD95) antigen in patients with severe pre-eclampsia
D. Darmochwal-Kolarz, B. Leszczynska-Gorzelak, J. Rolinski, J. Oleszczuk (Lublin, Poland) 153

Abstracts in Reproductive Immunology 165

Volume Contents 175